

# EMERGENCY RELIEF



## Military Quilt Set

**No.: YJWZ-01**

### Scope of use

Warm and durable, meet the warmth needs of spring, fall, winter and autumn seasons. Suitable for school, emergency relief and other occasions.

### Technical parameters

- 1.fabric composition: 100% cotton
2. filler material: cotton
3. with quilt, mattress, pillow, etc.



## Cotton Quilt

**No.: YJWZ-02**

### Scope of use

Warm and durable, to meet the warmth needs of the fall and winter seasons. Suitable for hotels, guesthouses, civil disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1Specifications:200cmx230cm
- 2Fabric:Featherproof cloth
- 3Filler:Feather silk cotton
- 4Total weight:4kg/bed



## Cotton Quilt


**No.: YJWZ-03**

### Scope of use

Warm and durable, meet the warmth needs of the fall and winter seasons. Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1Specifications:220cmx150cm
- 2.Cover material:pearlescent fabric
- 3.Filling material:feather silk cotton
- 4.Total weight:about 4kg/bed



## Cotton Tire

**No.:YJWZ-04**

### Scope of use

Warm and durable, meet the warmth needs of the fall and winter seasons. Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.Specification:150cmx210cm
- 2.Filling material:100% cotton
- 3.Total weight: 4 kg/bed



## Silk quilt

**No.: YJWZ-05**

### Scope of use

Warm and durable, meet the warmth needs of the fall and winter seasons. Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1Specification:200cmx230cm
- 2.fabric:100% cotton
- 3.filler:natural silk
- 4.total weight:3kg/bed



## Quilt

**No.:YJWZ-06**

### Scope of use

Meet the warmth needs of spring and fall season. Suitable for civil affairs disaster relief, sympathy and warmth.

### Technical parameters

1. Gauge: 150x220cm(0%~+2.5%)
2. Fabric composition: 100% cotton
3. Filling material: 100% polycotton fiber
4. Weight: >1kg/bed

# EMERGENCY RELIEF



## Quilts

No.: YJWZ-07

### Scope of use

Warm and durable, meet the warmth needs of the fall and winter seasons. Suitable for civil affairs disaster relief, emergency rescue industry.

### Technical parameters

1. cover: cotton
2. color: multi-color optional
3. core: 100% polycool fiber
4. size: length 220 (10cm) x width 150cm
- 5 filler weight: > 2kg
6. filled with hollow polyester staple fiber wadding cotton tires weighing 1250g



## Quilt cover

No.: YJWZ-08

### Scope of use

Suitable for civil affairs, disaster relief and emergency rescue.

### Technical parameters

- 220cmx150cm2. Quilt cover color: printing3. Fabric: pure cotton4. Quilt end closure: with A grade nylon zipper



## Towel cover

No.: YJWZ-09

### Scope of use

Warm and durable, meet the warmth needs of spring and fall season. Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1 Specifications: 200cmx150cm
2. Fabric: 100% cotton
3. Total weight: 1kg/bed



## Pillowcase

No.: YJWZ-10

### Scope of use

Applicable to civil affairs disaster relief emergency rescue and other occasions.

### Technical parameters

1. Specification: 45x70cm
2. Fabric: 100% cotton
3. Filling material: Feather cotton
4. Weight: 1kg



## Raschel Blanket

No.: YJWZ-11

### Scope of use

Suitable for emergency rescue, disaster relief and other occasions such as resettlement of the affected people or distribution of condolences.

### Technical parameters

1. fabric: 100% polycool fiber
2. size: 150x200cm (customizable)
3. weight: > 2kg
4. color: optional



## Mattresses

No.: YJWZ-12


### Scope of use

Warm and durable, to meet the warmth of the spring and fall season needs. Applicable to civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Specifications: 0.9x1.9m or 1.2x 1.9m
2. mattress cover fabric: 100% cotton
3. lining: polyester fiber
4. Mattress thickness: 3cm

# EMERGENCY RELIEF



## Simple mattress

No.: YJWZ-13

### Scope of use

It can be used for emergency rescue, disaster relief and other occasions such as resettling the affected people or distributing condolences.

### Technical parameters

- 1.Specification: width 90cm x length 200cm, thickness >2cm
- 2 can be folded incense
3. front material: cotton back material: mat 4. filling material: silk cotton



## Mattresses

No.: YJWZ-14

### Scope of use

Suitable for schools, hotels and other scenes.

### Technical parameters

- 1.Specifications: about 200cm \* 90cm
- 2.Material: fabric for cotton flat cloth, filler cotton fiber (new material)
- 3.Filler weight: more than 1000g
- 4.Appearance of spreading uniformly, tightly wrapped edges, soft and fluffy to the touch, there shall be no debris, slats, etc.



## Disaster relief mattresses

No.: YJWZ-15

### Scope of use

Suitable for emergency rescue, disaster relief and other occasions.

### Technical parameters

- 1.Specifications: about 190cm \* 90cm
- 2.Material: fabric for the cotton flat cloth, filler cotton fiber (new material)
- 3 filler weight: more than 1,000g
- 4.Appearance of spreading evenly, tightly wrapped edges, soft and fluffy to the touch, there shall be no debris, slats, etc.



## Moisture-proof mat

No.: YJWZ-16

### Scope of use

Suitable for civil disaster relief, emergency rescue, camping and other occasions.

### Technical parameters

- 1.Specification: 200cmx150cm
- 2.Fabric: 600D color oxford cloth
- 3.Bottom: PVC waterproof layer



## Disaster Relief Mattress

No.: YJWZ-17

### Scope of use

It can be used for emergency rescue, disaster relief and other occasions such as resettling the affected people or distributing condolences.

### Technical parameters

- 1.specifications: width 90cm x length 200cm
- 2.outer material: low elastic silk oxford cloth
- 3.bottom material: silver coated waterproof fabric
- 4.filling material: thickened pearl cotton
- 5.thickness: >1.5cm



## Bamboo Seat

No.:YJWZ-18

### Scope of use

It can be used for emergency rescue, disaster relief and other occasions such as resettling the affected people or distributing condolences.

### Technical parameters

- 1.quality bamboo
- 2.specifications:various specifications are available, such as 60x 150cm,60x 190am,80 x 190am,90x 190cm,100x 190cm,120x 190cm,135 x 190cm150x 195cm,180 x 200cm
- 3.technology:small side straight simple



# EMERGENCY RELIEF



**Juncus effusus mat**

**No.: YJWZ-19**

**Scope of use**

It can be used for emergency rescue, disaster relief and other occasions such as resettling the affected people or distributing condolences.

**Technical parameters**

- 1.specification:1.5\*2.0m
- 2.front material:natural rushes
- 3.wrapping cloth:100% polyvinyl acetate fiber



**Bamboo seat**

**No.: YJWZ-20**

**Scope of use**

Suitable for school

**Technical parameters**

- 1.Specification:90x190cm
- 2.Ingredients:natural bamboo



**Mosquito Tent**

**No.: YJWZ-21**

**Scope of use**

Can be used for civil affairs disaster relief, emergency rescue, sympathy gift, etc.

**Technical parameters**

- 1.specifications size: 200cm \* 100cm
2. material: warp knitting mesh cloth: 100% polycool fiber, mesh density (holes / 5cm) straight 16, horizontal 26, fabric expansion breaking strength  $\geq 170\text{kPa}$ , seam expansion breaking strength of 150kPa, washing resistance, sweat resistance, abrasion resistance, light fastness to color  $\geq 3$ . support frame:  $\geq 3.2\text{mm}$ , high quality plastic-coated steel wire, good elasticity, no rust, deformation. Good elasticity, no rust, deformation



**Camouflage clothing**

**No.: YJWZ-22**

**Scope of use**

applicable to disaster relief and rescue military training, etc.

**Technical parameters**

- 1.Fabric: cotton blend
- 2.Function: quick-drying, breathable, waterproof, wear-resistant, moisture absorption and perspiration
3. Pattern: camouflage
4. Suitable for season: summer, winter, spring, autumn
5. Applicable age group: adult
6. Applicable gender: unisex / men and women are available



**Military coat**

**No.:YJWZ-24**

**Scope of use**

Military quality, warm and durable. Used in civil affairs disaster relief, emergency rescue

**Technical parameters**

1. Color: military green
2. Specification: average size
3. fabric material:  $>20\%$  cotton
4. filling material: 100% cotton
5. lining: 100% cotton
6. weight: not less than 2kg



**Anti-Cold Clothing**

**No.:YJWZ-25**

**Scope of use**

Applicable to civil affairs disaster relief emergency rescue and other occasions.

**Technical parameters**

- 1.product name: multi-functional cold suit
- 2.color: color
- 3.specifications, average size
- 4.fabric material: 100% polycool fiber
- 5.filler material: 100% polycool fiber
- 6.lining: 100% polyvinyl acetate fiber
- 7.grade: first class 8.weight: not less than 1.3kg

# EMERGENCY RELIEF



## Mid-length sports cotton jacket

No.: YJWZ-26

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Style: cardigan
2. Layout: loose
3. Lapel: zipper
4. Filler: silk cotton
5. Main fabric composition: polycool fiber 100%
6. Lining composition: polyvinyl acetate fiber (polyester) 100%
7. Fabric name: chemical fiber class blending



## Cotton clothing

Ref: YJWZ-28

### Scope of use

Applicable to civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1 color: multi-color
2. fabric: 100% polyvinyl fiber
3. lining: 100% polyvinyl fiber
4. filler: 100% polyvinyl fiber



## Jacket Set

Ref: YJWZ-27

### Scope of use

Military quality, warm and durable. Used for civil disaster relief, emergency rescue.

### Technical parameters

1. top (in kind for the woven jacket)
2. fabric: woven twill fabric, fabric square meter weight requirements  $\geq 220\text{g/m}$
3. fiber composition requirements: 60% polyvinyl chloride fiber 40% cotton
4. Lining: woven lining, lining square meter weight requirements  $\geq 70\text{g/m}$  fiber composition 100% polycool fiber
5. Pants (in-kind woven twill pants) woven twill fabric, fabric square meter weight  $>260\text{g/m}$
6. Fiber composition requirements: 60% polyvinyl chloride fiber 40% cotton



## Cotton pants

No.: YJWZ-29

### Scope of use

Applicable to civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. color: dark
2. fabric: 100% polyvinyl chloride fiber
3. lining: 100% polymeng fiber
4. filler: 100% polyvinyl chloride fiber available



## Chinese-style unlined garment

No.: YJWZ-30

### Scope of use

Suitable for civil affairs, disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Color: dark
2. Fabric: 100% polycool fiber
3. Lining: 100% polyvinyl acetate fiber
4. Filler: 100% polyfiber

# EMERGENCY RELIEF



**Cotton-padded pants (worn in winter)**

**Ref: YJWZ-31**

**Scope of use**

For civil affairs disaster relief, emergency rescue.

**Technical parameters**

1. style and color available
2. size: large, medium, small
3. Fabric: polyester/cotton
4. Wadding: Hollow polyester staple fiber wadding/cotton
5. Lining: Cotton dyed plain cloth/polyester filament plain silk products neat and comfortable, straight sewing lines, consistent margins, left and right symmetry, elasticity and tightness.



**Polarized jacket**

**No.: YJWZ-32**

**Scope of use**

Suitable for civil affairs, disaster relief, emergency rescue and other occasions.

**Technical parameters**

- 1.function: waterproof windproof UV breathable
- 2.material: nylon
- 3.liner type: fleece liner
- 4.applicable season: winter, spring and autumn
- 5.lining material: nylon
- 6.clothing technology: seams full embossing



**Casual Jacket**

**No.: YJWZ-33**

**Scope of use**

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

**Technical parameters**

1. fabric: polyester fiber
2. lining: polyester fiber
3. collar: stand-up collar
4. placket: zipper



**Hoodie suit**

**No.:YJWZ-34**

**Scope of use**

Suitable for civil affairs, disaster relief, emergency rescue and other occasions.

**Technical parameters**

1. cotton knitted
2. fabric: polyester cotton
3. lining: polyester fiber



**Spring and Autumn Sports Set**

**No.: YJWZ-35**

**Scope of use**

For civil affairs disaster relief, emergency rescue.

**Technical parameters**

1. style sports
2. thickness: ordinary
3. pants length: pants
4. top style: jacket
5. top sleeve length: long-sleeved
6. whether hooded: not hooded spring and autumn
7. suitable for the season: spring and autumn
8. fabric name: cotton blends
9. main fabric composition: polyvinyl acetate fiber (polyester) 80%



**Spring and Autumn Set**

**No.:YJWZ-36**

**Scope of use**

For civil affairs disaster relief, emergency rescue.

**Technical parameters**

- 1.long-sleeved T-shirt + casual pants
- 2.top (knitted): 60% cotton, 40% polyester, gram: 150g/m
- 3.pants: 60% cotton 40% polyester, gram: 150g/m<sup>2</sup>

# EMERGENCY RELIEF



## Fleece jacket and pants set

No.: YJWZ-37

### Scope of use

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.long sleeve+long pants
- 2.fabric:cotton3gsm:>350g/m<sup>2</sup>



## Thermal suit

No.: YJWZ-38

### Scope of use

Suitable for civil affairs, disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.cotton knitted warm suit
- 2.material:polyester cotton
- 3.lining:polyester fiber



## Thermal suit

No.: YJWZ-39

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. fabric name: cotton
2. main fabric composition: poly fiber (polyester)
3. the content of the main fabric components: 95 (%)
4. lining composition: cotton
5. lining composition content: 95 (%)
6. function: breathable



## Hoodie suit

Ref: YJWZ-40

### Scope of use

Suitable for civil affairs disaster relief emergency rescue and other occasions.

### Technical parameters

- 1.long-sleeved T-shirt + pants
- 2.fabric: 35% cotton, 65% polyvinyl acetate fiber



## Summer suit

Ref: YJWZ-41

### Scope of use

Suitable for civil affairs disaster relief emergency rescue and other occasions.

### Technical parameters

- 1.summer suit: short-sleeved T-shirt + pants
- 2.fabric: 35% cotton, 65% polyvinyl acetate fiber



## Summer suit

No.:YJWZ-42

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. top (knitted) material: cotton 60% poly cool fiber 40%
2. pants material: cotton 60%, poly fiber 40%



# EMERGENCY RELIEF



## Summer Sports Suit

No.: YJWZ-43

### Scope of use

Used in civil affairs disaster relief, emergency rescue.

### Technical parameters

1. unit weight: 0.3 kg
2. Product volume: 38.0cm\*28.0cm\*28.0cm
3. Pattern: stripes
4. Suitable season: summer, spring, fall
5. Suitable age group: Adults
6. Suitable for gender: unisex/both men and women
7. Length: short sleeve
8. Neck type: round neck
9. Whether hooded: not hooded
10. Whether removable: non-removable



## Velvet pants

No.: YJWZ-44

### Scope of use

Suitable for civil affairs, disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Specifications: average size
2. Fabric: yellow velvet
3. Fabric composition: outer linen-cotton, inner yellow velvet



## Unlined upper garment

No.: YJWZ-45

### Scope of use

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. specification: average size
2. fabric: yellow velvet
3. fabric composition: outside the linen cotton, inside the yellow velvet



## Velvet jacket

No.: YJWZ-46

### Scope of use

Applicable to civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Specification: average size
2. Fabric: yellow velvet
3. Fabric composition: outside the linen cotton, yellow velvet inside



## Sweater

Ref: YJWZ-47

### Scope of use

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Cotton needle sweater
2. Material: polyester
3. Loose type, half-high collar



## Summer suit

No.: YJWZ-48

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Material: simulation silk
2. Fabric: 100% polyester fiber
3. Color: multi-color



# EMERGENCY RELIEF



## Women's Summer Sets

No.: YJWZ-49

### Scope of use

Suitable for civil disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Material: linen
2. Fabric: 100% polyester fiber
3. Color: floral



## Children's sets

No.: YJWZ-50

### Scope of use

Suitable for civil disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Ingredients: 100% cotton
2. Season: spring and fall
3. Two-piece set, hooded



## Children's Cotton Clothes

No.: YJWZ-51

### Scope of use

Applicable to civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. color: dark
2. fabric: 100% polyvinyl chloride fiber
3. lining: 100% polycool fiber
4. filler: 100% polyvinyl chloride fiber



## One-piece raincoat

No.: YJWZ-52

### Scope of use

Suitable for civil disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Color: camouflage
2. Fabric: oxford cloth
3. Function: breathable rainproof comfortable



## Raincoat Set

No.: YJWZ-53

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Style: up and down suit (double-layer fabric)
2. Fabric: PVC
3. Fabric color: navy blue
4. Material: 100% polyvinyl acetate fiber
5. reflective requirements: raincoat chest and back are 2cm wide high light luminous strip
6. Waterproof requirements: the whole waterproof process finishing, water level 4 and above, local especially at the seam line for leakage prevention technology, cuffs with waterproof double-layer design
7. Practical requirements: lining for breathable mesh lining, double placket design, the appearance of the buttons, zipper durability, the crotch of the pants has a plus file Anti-crack treatment



## Outdoor Reflective Raincoat

No.: YJWZ-54

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Color: camouflage
2. Fabric: Oxford cloth
3. Function: Breathable rainproof and comfortable

# EMERGENCY RELIEF



## Sun umbrella

No.: YJWZ-55

### Scope of use

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.name: outdoor advertising sun umbrella
- 2.technology: double needle sewing + welding
- 3 material: PVC thickened tarpaulin + carbon steel
- 4.color: can be arbitrarily selected



## Umbrellas

No.:YJWZ-57

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

- 1.specifications: long handle umbrella
- 2.retracted: length 85cm \* diameter 4.8cm
- 3.open: umbrella under the diameter of 110cm
- 4.umbrella frame: metal center pole + groove bone bracket
- 5.fabric: dark color bumper cloth, waterproof and windproof, sturdy and durable



## Umbrellas

No.:YJWZ-56

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. diameter under the umbrella: >120cm
2. umbrella pole / umbrella bone material: all steel skeleton
3. umbrella surface material: high density touch cloth
4. umbrella bone bone number: 10 bone



## Cookies

No.: YJWZ-58

### Scope of use

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

1. Name: soda crackers
2. Quality: famous brand Excellent
3. Specifications: 1 box x 4kg, savory flavor



## Wheat

No.: YJWZ-59

### Scope of use

Applicable to civil affairs disaster relief emergency rescue and other occasions.

### Technical parameters

- 1.Rice:Golden Oil Sticky Rice
- 2.Weight:per package/15kg



## Simple Tent

No.: YJWZ-60


### Scope of use

for civil disaster relief, emergency relief.

### Technical parameters

- 1.Specification:3\*3m
- 2.bracket: foldable steel frame, wall thickness>0.8mm
- 3.tarpaulin: 420D waterproof oxford cloth, 3 sides of the cloth

# EMERGENCY RELIEF



## Raincoat type man-portable tent

No.: YJWZ-61

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. tent structure: single layer tent
2. pole material: fiberglass poles
3. specifications: 2.05 m \* 0.8 m 0.86 m
4. weight: 2000 (g)
5. poles: fiberglass
- 6 substrate: Oxford cloth
7. inner tent: waterproof fabric
8. outer tent: waterproof Oxford cloth



## 12m Emergency Cotton Tent

No.: YJWZ-62

### Scope of use

For civil disaster relief, emergency rescue.

### Technical parameters

1. Emergency disaster relief special 12m single tent by the canopy, frame and accessories three parts
2. Tent for rectangular double slope straight wall building style, slope slope slope of 30 °. Open the door on the mountain wall to open a triangular window, open the window on the mountain wall to open a triangular window, a square window, two square windows on each side of the wall, the side wall can be supported into the awning 3.7m (tent length) x 3.2m (tent width) 1.75m (side wall height) x 267m (ridge height), the use of the area of 12m<sup>2</sup>



## Disaster Relief Tarpaulin

No.: YJWZ-63

### Scope of use

Used for civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Size of tarpaulin: L\*W5000\*4000mm
- 2 The tarpaulin is rectangular, with PVC coated cloth as material, using stitching process to form the splicing process
3. Aluminum tarpaulin ring nailed around the perimeter of the tarpaulin for connecting with the rope.



## Colored cloth

No.: YJWZ-64

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Specification: Thickness > 120g/m
2. Width: 4 meters
3. Material: New material polyethylene
4. Product Features: Wear-resistant, corrosion-resistant, acid and alkali resistant, tear-resistant



## Groundsheet (for camping etc)

No.: YJWZ-65

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Style: moisture-proof mat front using velvet fabric back using PEVA waterproof coating, synthetic leather to do the hand, navy plaid fabric and PEVA waterproof coating, fabric as the main material sewn moisture-proof mat
2. Specifications: 150cm x 200cm



## Floor

No.: YJWZ-66

### Scope of use

Suitable for civil affairs disaster relief and emergency rescue, warehouses and other occasions.

### Technical parameters

1. Specification: 1.0x 1.2m
- 2 Net Load: 5t
- 3 Dynamic Load: 1.5t
4. Blue Color 5. Grade: 1 etc.

# EMERGENCY RELIEF



## Cotton Sleeping Bag

No.: YJWZ-67

### Scope of use

for civil disaster relief, emergency rescue.

### Technical parameters

- 1.Specification: (185+35)\*150cm
- 2.Fabric material: 210t polyester taffeta
- 3.Filling material: hollow cotton
- 4.Lining material: flannel
- 5.Weight:>2.8kg



## Cotton Sleeping Bag

No.: YJWZ-68

### Scope of use

Used for civil affairs disaster relief, emergency rescue.

Sympathy gift, etc

### Technical parameters

- 1.Specification:(190+30)\*75cm
- 2.Fabric material: 210t polyester taffeta
- 3.Filling material: hollow cotton
- 4.Lining material: T/C polyester/cotton fabric
- 5.Weight:>1kg



## Air mattress for disaster relief

No.: YJWZ-69

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

- 1.Disaster relief air mattress bed made of PU coated cloth by high-frequency hot pressing, inflatable and exhaust nozzles by high-frequency hot pressing on the bed surface, the bed surface and the head of the two air chambers are connected into a single piece of the air mattress bed on both sides of the hot side of the riveted stainless steel pontoon ring three
- 2.Total length: 1900mm, width: 750mm
- 3.Pillow length: 350mm
- 4.Height of the inflatable columns: 80mm (in the middle), 100mm (both sides) 5 load-bearing 750kg, 100mm (both sides)
- 5 Load capacity: 750kg



## Folding bed

No.: YJWZ-70

### Scope of use

Suitable for civil disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.Specifications: 70x185x32cm
- 2.Material: 600D Oxford cloth, aluminum alloy tube
- 3.Features: four gears backrest adjustment, portable and foldable, high strength, suitable for disaster relief use



## Folding bed

No.: YJWZ-71

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

- 1.folding bed for steel pipe bed frame folding type
- 2.folding bed by the bed surface and bed frame two parts
- 3.size:185x70x35cm4.using 666dtexx666dtexPVC coated fabric, steel pipe 25mmx1.0mm



## Folding Bed

No.: YJWZ-72

### Scope of use

Suitable for civil affairs disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.product name: composite board with sponge folding bed
- 2.color: off-white
- 3.specification: 190cmx75cm x25cm
- 4.bed frame material: steel tube
- 5.fabric material: abrasion cloth
- 6.fabric composition: fiber
- 7.filler material: sponge
- 8.performance: folding, rustproof



# EMERGENCY RELIEF



**Folding Table**

**No.: YJWZ-73**

**Scope of use**

for civil disaster relief, emergency rescue.

**Technical parameters**

- 1.table specification: 120X60X70CM
- 2.table frame material: aluminum alloy
- 3.material: cold rolled plastic spraying steel tube stool surface
- 4.material: 600D Oxford cloth/steel tube



**Bucket**

**No.: YJWZ-74**

**Scope of use**

Can be used for civil affairs disaster relief, emergency relief, condolence gift, etc..

**Technical parameters**

- 1.Material: new PP material
- 2 specifications: 18L, 34 \* 33cm natural environmental protection, sterile, non-toxic, odorless, impact resistance, anti-aging
- 3 in line with the GB9687-1988 food packaging polyethylene molded products health standards



**Basin for washing hands and face**

**No.: YJWZ-75**

**Scope of use**

It can be used for civil affairs, disaster relief and emergency rescue.

**Technical parameters**

- 1.Specification:Diameter35cm,Height10cm
- 2.Material:PP Plastic



**Towel**

**No.: YJWZ-76**

**Scope of use**

Can be used for civil affairs disaster relief, emergency rescue and so on.

**Technical parameters**

- 1.Specification:35x75cm
- 2.Ingredients:100% Cotton



**Razors**

**No.:YJWZ-77**

**Scope of use**

Can be used for civil affairs disaster relief emergency rescue, etc.

**Technical parameters**

- 1.Quality:Food grade PP material
- 2.Specification:About 15cm(0.5cm )



**Mouthpiece**

**No.: YJWZ-78**

**Scope of use**

Can be used for civil affairs disaster relief, emergency rescue, etc.

**Technical parameters**

- 1.Quality: food grade PP material
2. Specification: about 10x8cm ( 0.5cm )

# EMERGENCY RELIEF



## Warm Water Bag

No.:YJWZ-79

### Scope of use

Suitable for civil disaster relief, emergency rescue and other occasions.

### Technical parameters

- 1.material PVC + plush
- 2.style: water injection hot water bag
- 3 capacity 500ml



## Furry Shoes

No.:YJWZ-80

### Scope of use

It can be used for civil affairs disaster relief, emergency rescue, condolence gift and so on.

### Technical parameters

1. Upper material: cotton velvet
2. Sole material: pvc
3. Style: all-inclusive
4. Thickened, breathable, non-slip, warm, wear-resistant



## Cotton Shoes

No.:YJWZ-81

### Scope of use

Can be used for civil affairs disaster relief, emergency relief, condolence gifts, etc.

### Technical parameters

- 1.Name:Old Beijing Cloth Shoes
- 2.Size:On request
- 3.Lining Material:Cotton
- 4.Upper Material:Cotton Velvet
- 5.Sole Material:Thousand layer sole



## Cloth Shoes

No.: YJWZ-82

### Scope of use

Can be used for civil affairs disaster relief, emergency rescue, sympathy gift, etc.

### Technical parameters

- 1.Name:Old Beijing Cloth Shoes
- 2.Size:As required
- 3.Lining:Cotton
- 4.Sole:Thousand layer sole
- 5.Toe shape: square head



## Labor insurance shoes

No.: YJWZ-83

### Scope of use

can be used for civil affairs disaster relief, emergency rescue, condolence gift, etc..

### Technical parameters

- 1.upper style: low-top
- 2.upper material: first layer cow leather
- 3.performance: anti-smash anti-puncture anti-slip
- 4.lining: breathable mesh
- 5.An1 steel head can withstand 2004J impact or 15KN static pressure 01cm thickened version of the steel mid-sole, anti-penetration  $\geq 1100\text{N}$ , which prevents a variety of sharp objects piercing!



## Slip-on Shoes

No.: YJWZ-84

### Scope of use

It can be used for civil affairs disaster relief, emergency rescue, condolence gift and so on.

### Technical parameters

- 1.Shoe Material:PVC plastic
- 2.Function:Anti-slip,comfortable to wear,odorless,acid-resistant and wear-resistant
- 3Products meet the national standard of QB/T1653-1992 Polyvinyl Chloride Plastic Sandals and Slippers.

# EMERGENCY RELIEF



## Liberation Shoes

No.: YJWZ-85

### Scope of use

Can be used for civil affairs disaster relief, emergency rescue and so on.

### Technical parameters

1. sole material: rubber
2. heel height: flat heel
3. anti-folding wear-resistant, lightweight and breathable



## Liberation Shoes

No.: YJWZ-86

### Scope of use

Can be used for civil affairs disaster relief, emergency rescue and so on.

### Technical parameters

1. sole material: rubber
2. heel height: flat heel
3. anti-folding wear-resistant, light and breathable, non-slip wear padded



## Hiking boots

No.: YJWZ-87

### Scope of use

Can be used for civil disaster relief, emergency rescue, condolence gift, etc..

### Technical parameters

1. Made of high-quality cotton blocking canvas using high-quality rubber soles, the bottom with the sunset steel plate pads, can be anti-puncture, anti-slip, anti-kicking



## Unpadded shoes

No.: YJWZ-88

### Scope of use

Suitable for a variety of unit occasions, emergency rescue and other occasions.

### Technical parameters

1. Size: 36 yards -46 yards, lace-up
2. Material: head calf leather
3. sole style: flat heel sole
4. Material: rubber
5. real leather material process: half grain
6. shoe production process: adhesive shoes
7. sole material: layer composite wear-resistant non-slip outsole



## Quilted leather shoes

No.: YJWZ-89

### Scope of use

Applicable to a variety of unit occasions, emergency rescue and other occasions.

### Technical parameters

1. Size: 36 yards -46 yards, lace-up cotton
2. Material: head layer calf leather
3. Sole style: flat heel sole
4. Material: rubber
5. Genuine leather material process: half-grain
6. Shoes production process: adhesive shoes
7. sole material: layer composite wear-resistant non-slip outsole



## Bivouac

No.: YJWZ-90

### Scope of use

for civil disaster relief, emergency rescue.

### Technical parameters

1. marching bed for iron bed frame or aluminum alloy bed frame folding
2. folding Lu bed by the bed surface and bed frame two parts
- 3 size: about 1.9m \* 0.65m \* 0.35m
4. using encrypted Oxford cloth



# EMERGENCY RELIEF



## Disaster relief folding table

No.:YJWZ-91

### Scope of use

For civil affairs disaster relief, emergency rescue.

### Technical parameters

1. Teach disaster special folding table by a table and four chairs folded, four folding stools placed on the back of the desktop, the table after the buckle to form a gold wind folding table and plastic folding table two kinds of
2. Folding table size: length: 705mm width: 675mm high: 650mm
3. Folding stools size: length: 300mm width: 200mm high: 380mm



## Portable toilet

No.:YJWZ-92

### Scope of use

For civil disaster relief, emergency rescue.

### Technical parameters

1. specifications: 1.1 \* 1.1 \* 2.3 m frame
2. support column: using 160, 1/4 aluminum alloy connected to
3. inside and outside the board: color steel sandwich panel, the total thickness of 5 centimeters
4. base: the bottom of the L4 # L4 angle iron welded to the angle frame, laying on the aluminum alloy patterned board
5. top, door: color steel sandwich panel
6. locks: spherical locks
7. configurations: squatting toilets, flushing devices, washbasin, Lamp, exhaust fan, etc.
8. With feces box, automatic collection of dirt



## Emergency Daily Kits

No.:YJWZ-93 Medicine bag

### Scope of use

Applicable to a variety of unit occasions, emergency rescue and other occasions. Technical parameters

1. 60ml shower gel, 60ml shampoo, 30g toothpaste, toothbrush, comb, towel plastic cups, a total of seven for a set of
2. Product requirements: is a new brand-new products



## Medical bag

No.:YJWZ-94

### Scope of use

For emergency disaster relief, emergency rescue.

### Technical parameters

1. Contains a medical mask, tourniquet, medical cotton swabs band-aid, sterile gauze pieces, triangular towel, antipyretic patches, degreasing cotton balls, compass, begging whistle, salt, medical alcohol, emergency reflective ring (wrist), multifunctional knife, etc.
2. Can be configured according to the user's needs of the medical bag



## Emergency kit

No.: YJWZ-95

### Scope of use

Applicable to a variety of unit occasions, emergency rescue and other occasions. Technical parameters

1. Medical bag (medical tape, safety pins 10, gauze disinfection blood tablets 4 tablets, alcohol tablets bandages 10 tablets, elastic bandages 2 10 tablets. Disinfectant wipes 4 pieces, scissors, triangular towel, tweezers, silicone tourniquet, stainless steel military Ding first aid blanket, cold compress ice packs, whistles, luminous stick, first aid outsourcing)
2. emergency supplies (raincoat, multifunctional tools axe military flashlight, multifunctional whistles), the outer packaging (duffel bag)



## Disaster Relief Emergency Kit

No.:YJWZ-96

### Scope of use

For civil disaster relief, emergency rescue.

### Technical parameters

1. Emergency supplies PE raincoat multifunctional tools axe military flashlight, rain shoes
2. Medical kit: silicone tourniquet, first aid blanket, cold pack ice packs, multifunctional whistles, luminous stick, whistle red first aid outsourcing, gauze disinfection hemostatic tablets 4 pieces of medical tape, safety pins, elastic bandages, scissors, reagents, stainless steel with a knife, alcohol tablets, band aids, disinfectant wipes



# EMERGENCY RELIEF



## Salt Water Power Generation Lighting

No.: YJWZ-97

### Scope of use

Suitable for emergency lighting ( military, outdoor tourism, earthquake disaster, indoor power outage, etc.) medical first aid kit, education and teaching.

### Technical parameters

- 1.appearance size:45.3\*19.3\*74mm
- 2.product weight:40g
- 3total capacity:2000mAH
- 4.rated voltage:4.5V
- 5.lighting time:>72h

6.water can be salt water, seawater or even urine is harmless to people long term storage also does not fail no capacity loss



## Salt Water Power Generator

No.: YJWZ-98

### Scope of use

Suitable for traveling out to sea fishing boats, home emergency lighting, etc.

### Technical parameters

- 1 Appearance size: 170\*107\*238mm
- 2.Product weight:870g
- 3.Total capacity:24000mAH
4. Rated voltage: standard USB port, DC5V
5. Rated current: 0.5V small size, easy to carry



## Hand-cranked generator 220V

No.: YJWZ-99

### Scope of use

Backpack type manpower emergency power supply, applied to forest fire prevention, earthquake rescue, geological exploration. Ship shipping, emergency rescue and other fields.

### Technical parameters

- 1.Charging voltage/current:28V+1V/1-25A
- 2Power supply voltage/current:24V+1V/28A
- 3.Charging voltage/current:15.58V+1V/3.5A
- 4.Power supply voltage/current:12V:1V/4.5A
- 5.Working temperature:-40C~+55C;working humidity:90-95%
- 6.Immersion-proof,shock-proof,salt-proof Fog, with circuit protection

## Hand-cranked generator

No.: YJWZ-100

### Scope of use

Suitable for emergency rescue, camping and fishing, self-driving hiking, exploration and scientific research, daily household and other fields.

### Technical parameters

- 1.Rated voltage:12V
- 2.Rated power:10W
- 3.Output current:0-2.5A
- 4.Net weight:422g
- 5.Product size:105\*61\*30mm
- 6.Foldable handle,alloy handle;Overheat and overcurrent protection function.



## Leakage Detector

No.: YJWZ-101

### Scope of use

for emergency disaster relief, emergency rescue.

### Technical parameters

- 1.range (and corresponding resolution): 200mA (100uA) 2A (1mAV200A (100mA))
2. Error: earth 2.5% (8d)
3. Display screen: 1999-bit LCD with backlight
4. Overload indication: "OL"
5. Display rate: 2 times / sec.
6. Automatic shutdown: about 15 minutes
7. Mouth opening: "1.2"
- 8.Battery:2pcs 1.5V battery
- 9.Operation height:<3000m
- 10Size:188\*61\*34mm
- 11.Weight:225g



# EMERGENCY RELIEF



## Disaster relief emergency kit

No.: YJWZ-102

### Scope of use

Applicable to rescue and relief emergency rescue and so on.

### Technical parameters

1. PE raincoat 1 set, long-term multi-function tool axe 1, long-term emergency supplies military flashlight 1, long-term rain shoes 1 pair, long-term silicone tourniquet 1 roll, medical tape 1 roll, first aid blankets 1, safety pins 10, cold ice pack 1, elastic bandage 2, multi-functional whistles 1, long-term scissors, son, light rod 1, long-term stainless steel knife each 1, long-term whistle, long-term Alcohol tablets 10 tablets, red first aid outsourcing, long bandages 10 tablets, gauze disinfection hemostatic tablets 4 tablets, disinfectant wipes 4 pieces



## Puncture resistant gloves

No.: YJWZ-103

### Scope of use

Suitable for rescue and relief, emergency rescue and so on.

### Technical parameters

1. Material: Aramid material, PU coating palm and fingertips  
2. Color: Gray  
3. Size: 26cm\*11cm4. Characteristics: Anti-cutting, tear-resistant, puncture-resistant, wear-resistant



## Gloves

No.: YJWZ-104

### Scope of use

Suitable for rescue and relief, emergency rescue, etc.

### Technical parameters

1. Material: knitted, butyl coating  
2. Color: orange coating  
3. Function: wear-resistant, oil-resistant, grip non-slip flexible and lightweight, comfortable to wear



## Protective glasses

No.: YJWZ-105

### Scope of use

Suitable for rescue and relief, emergency rescue and so on.

### Technical parameters

1. Vinyl frame, soft and easy to fold  
2. Vent design, prevent fogging  
3. Adjustable headgear rope, according to the actual situation of individual adjustment



## Rain boots

No.: YJWZ-106

### Scope of use

Provide protection and waterproof for the feet of rescue workers and the affected people during flood control and rescue.

### Technical parameters

1. Style: black, tube height about 35cm  
2. Material: inner: high quality nylon cloth Outside: high elasticity PVC  
3. Features: suitable for working conditions, the bottom pattern is thick and deep, with strong non-slip and wear resistance; rain boots thick, comfortable boots on the calf protection role of strong heel tensile strength, the upper anti-pull off strong force

# EMERGENCY RELIEF



## Emergency Rescue Boots

No.: YJWZ-107

### Technical parameters

1. Material: boots upper with flame retardant high temperature waterproof leather and checkered leather, waterproof flame retardant cloth and 3M fluorescent yellow reflective material combination, the maximum puncture resistance  $\geq 250N$  boots overall slow heating, light weight, high durability, waterproof and flame retardant, anti-puncture, leakage, non-slip, anti-fatigue, sweat and dry and so on.
2. Overall structure: the main body color is black, with fluorescent yellow polymer reflective material, back and mouth of the boots have two adjustable tight Velcro straps; boot straps with orange flame retardant belt; boots outside the mouth of the mouth with orange flame retardant belt; boots outside the mouth of the barrel with a fluorescent yellow polymer reflective material. Boots back and mouth with two adjustable elastic Velcro straps; boot straps with orange flame retardant belt; boots outside the mouth marked with orange on a black background "fire rescue" logo; boots with reflective symbols at the back of the belt and reflective webbing handles
3. Thermal insulation: in the thermal insulation test was heated up to 30Min, the rescue boots internal surface temperature  $< 7^{\circ}C$ ; high temperature performance: in the thermal insulation test was heated up to 30Min, the rescue boots inner surface temperature  $< 7^{\circ}C$ . High temperature performance: at a temperature of  $(180^{\circ}C)$  conditions, after 5MIN, rescue boots on any part of the melt droplets do not produce, all hard accessories to maintain the performance intact: electrical insulation performance: test voltage (frequency) 8000V, test time 1MIN, leakage current  $< 0.5mA$

4. Waterproofing performance: the whole boot interface without permeability, the rescue boots will be immersed in a water-filled container, the distance between the water surface and the lowest point of the boot opening The distance between the water surface and the lowest point of the boot opening is  $\leq 25MM$ . anti-puncture performance of the boot sole: anti-puncture performance  $> 1650N$ .

5. Boot design: rubber strips are provided at the transition from the toe to the face of the boots, and there is an ankle protector at the ankle outside the boot; the boots have a soft polymer lining, which can limit the entry of debris, sand, and water, and keep the comfort in high-risk, high-intensity, squatting operations.

6. Boot sole design: boot sole with lightweight high elastic shock-absorbing cushioning layer combined with TPU balance, the outsole is made of non-slip, abrasion-resistant, oil-resistant, acid and alkali resistant, shock-resistant rubber material, non-slip pattern design of the boot sole, built-in immovable anti-puncture non-metallic layer

7. Boots: Boots wrapped head material for the non-metallic plastic head, boots were 10KN static pressure test and impact hammer quality of 23KG, drop height of 300MM impact test, the height of the gap are  $\geq 25MM$

8. Boots pad: Boots pads shock absorption, anti-odor, anti-bacteria, breathable material boots sole inner surface temperature rise  $< 22^{\circ}C$

## Protective footwear

No.: YJWZ-108

### Scope of use

Suitable for disaster relief and emergency rescue.

### Technical parameters

1. fabric: black tumbled leather and canvas
2. fabric thickness:  $> 1.8mm$
3. Outsole folding performance: after 100,000 times bending test, the outsole should not break the latter crack length  $< 12mm$
4. Boots folding performance: boot material after repeated bending 20,000 times, no cracks, loose surface, drop pulp and other phenomena, allowing a dead folding
5. Boots abrasion resistance: after 20,000 times of friction cycle should not appear to have been rubbed through phenomenon
6. Anti-slip performance:  $\geq 18^{\circ}$  slip angle
7. Boot sole puncture resistance: 1100N
8. Tear strength:  $> 15Mpa$  Tear elongation: 410%
9. Tensile strength:  $> 24N/mm^2$
10. Tear strength:  $> 110N/mm$
11. Waterproof performance: put into the 120mm depth of water in the tank to keep for 15 minutes, the boots did not seepage of water insulation performance: after being heated for 30min the inner surface of the sole of the boot temperature rise  $\leq 22^{\circ}C$ .



## Folding stretcher bed Aluminum alloy model

No.: YJWZ-109

### Scope of use

Suitable for rescue and relief emergency rescue, etc.

### Technical parameters

1. made of high strength aluminum alloy material, lightweight and pressure resistant, strong and durable
2. aluminum alloy thickening bracket, support on the ground
3. thickened oxford cloth fabric as a stretcher surface, wear-resistant or are high, two safety fixed belt
4. load-bearing 160KG



# EMERGENCY RELIEF



## Rescue Scoop Stretcher

No.: YJWZ-110

### Scope of use

Suitable for rescue and relief emergency rescue and other resettlement of the affected people, can be folded, portable.

### Technical parameters

- 1.unfolding size:>210\*42\*7cm
- 2.folding size:>165\*45\*7cm
- 3.load capacity:>150KG
4. Equipped with 3 tightening straps can be disassembled and folded, can be contracted and stretched

## Ordinary type motorized air-fed long tube respirator

No.: YJWZ-111

### Scope of use

The large field of vision silicone mask is made of medical silicone, with external anti-scratch, internal anti-fog function; electric air blower is equipped with a filter, which can effectively defend against inhalation of harmful gases, dust, smoke and other pollutants, and improve the lack of oxygen in the environment of the operation of the body damage; air blower motor power supply using 24V power adapter, with reliable and stable operation guarantee.

### Technical parameters

- 1.Insert one end of the AC power cord into the fan power socket, and connect the other end to 220V power supply, charging and air supply can be carried out at the same time, such as power outage battery power supply instantly, and equipped with power failure alarm device. Check the airtightness of the whole machine, use your hand to seal the connector inserted into one end of the blower to inhale and feel the air rescue indicates that the mask is airtight. Then insert the blower socket (card type and spiral type) and turn on the blower at the same time, and only enter the workplace to do the work after you feel breathing freely. When the work is completed, return to the normal air environment to remove the bottom after the power off
2. electric fan using high-speed brushless fan structure is tight, with in and out of the air valve structure, the fan is lightweight to save the operator's physical strength
3. gas injection pressure, exhaust volume
4. in the in and out of the gas channel is equipped with silencer and filtration devices, low noise, clean compressed air
5. super stability, low power consumption, high efficiency, power on the case can be Continuous work 7 days \* 24 hours
6. ad hoc high-speed brushless fan light weight to protect the safety of the operator
7. long service life, low failure, stable performance
- 8 power failure status display will be powered off the alarm



## Snake Eyes Life Detector

No.: YJWZ-112

### Scope of use

applied to the earthquake, mining rescue detection of signs of life industrial maintenance: detection of mechanical equipment, pipelines, valves and welding corrosion detection: detection of corrosion pipeline. Containers and other structures inside the aircraft maintenance. Detection of aircraft body, engine, instrument panel suitable for a variety of on-site rescue environment.

### Technical parameters

- |  |  |
|--|--|
| 1.Flexible probe diameter: 12 mm   | 2.Flexible probe length: 1 m   |
| 3.Lens diameter: 12 mm   | 4.Flexible probe and the lens of the waterproof level: underwater IP67 |
| 5.Self-contained LED lights, visible at night away from the: 1.5 m             |  |
| 6.wireless transmission frequency: 24G   | 7.Image sensor: 1/3 CMOS   |
| 8.Effective pixels: 704x576 (PAL); 712x486 (PAL); 712x486 (PAL); 712x486(NTSc) |  |
| 9.Viewing Angle:50 Degree  | 10.Power Supply:4XAA   |
| 11.Size(WXDxH):186X145 X41mm)(Exclude Flexible Tube)                           | 12.Weight:530g   |





# EMERGENCY RELIEF



## Hawkeye Life Detector

**No.: YJWZ-113**

### Scope of use

Suitable for rescue work after fire, earthquake, bombing and explosion in buildings (caused by gas or other intentions).

### Technical parameters

1. display: 7-inch color LCD, resolution 640 \* 480
2. structure: metal shell, the display angle can be adjusted in any direction
- 3 working temperature: -20 ~ 60 degrees
4. storage: can store video, the maximum expansion of the memory 32GB
5. power supply: internal potassium batteries, removable and replaceable
6. probe: 360-degree rotating probes and infrared probes each 1
7. audio: omni-directional Audio: audio vibration sensor pickup range of 200 square meters
8. Sensor: CCD sensor clarity 540 lines
- 9 hand-held rod: ultra-lightweight carbon fiber telescopic rod, 1.1-2.15m
10. Working hours: more than 6 hours
11. Output: audio, video can be output externally
12. Charger: battery charger and DC power supply
13. Carrying: the host can be equipped with a hanging belt, easy to use; the whole machine with a Safety box, the weight does not exceed 5kg



## Infrared detector

**No.: YJWZ-114**

### Scope of use

Suitable for rescue work after firefighting, earthquake, bombing and explosion (caused by gas or other intentions) in buildings.

### Technical parameters

1. 101 inch LCD, resolution 1024 (RGB) 768 (XGA), can be recorded
- 2 memory 32GB storage
3. handheld telescopic probe, stretch length 2.04 meters (including probe), closed box length 05 meters, telescopic rod comes with a 3-meter cable, probe and soft rod can be used underwater (aviation plug and telescopic rod can not go deep into the water)
4. probe using infrared night vision probe, probe Diameter 25Mm, built-in 8 infrared lamps, night vision distance of up to 6 meters or more; probe and soft pole integrated design, dual-use land and water
5. The host uses polymer carp batteries, a rechargeable working hours more than 6 hours
- 6 display screen can be connected to a third-party display screen, easy to command
7. The product is equipped with a smash-proof safety box, easy to carry!

## Underwater life detector

**No.: YJWZ-115**

### Scope of use

Suitable for rescue work after firefighting, earthquakes, bombing and explosions (caused by gas or other intentions) in buildings.

### Technical parameters

1. with 8-inch LCD display, resolution 800 \* 600
- 2 screen support 180 degrees flip
3. 360 degrees intelligent rotating probe, night vision LED lights can be switched to control
4. products can be photographed, video, playback and other features



## Radar life detector

**No.: YJWZ-116**

### Scope of use

Searching for surviving targets at the disaster site and confirming whether there are any survivors; used in earthquakes, collapses, building collapses under the debris rescue.

### Technical parameters

1. Detection angle: > earth 60 °
2. Detection range: detection of horizontal area > 8000m<sup>2</sup>
- 3 detection of vertebral volume: 80000m<sup>3</sup>
4. Remote control distance: remote control distance in the open environment > 120 meters
- 5 size: 490mmx390mmx200mm
6. Weight: <7kg
7. Operating temperature: -20C~+60C



# EMERGENCY RELIEF

## Thermal Imaging/Audio/Video Life Detector

No.: YJWZ-117

### Scope of use

Thermal imaging/audio-video life detector enables rescuers to see the trapped people buried under the rubble and communicate with them.

### Technical parameters

- 1.The product is equipped with thermal imaging / video dual-function probe, can be switched at any time thermal imaging and visible light image display effect
- 2.Thermal imaging / audio and video life detector by the world's rescue teams welcome video life detector, can detect buried trapped in the ruins of the city of the victims, can provide a clear call and video capabilities.
- 3.At the same time these images and sound can be transmitted through the wireless receiver to the back of the Suitable for rescue work after earthquakes, bombings, and explosions (gas-induced or otherwise) in buildings.



## Composite Radar Life Detector

No.: YJWZ-118

### Scope of use

search for surviving targets at the disaster site and confirm the presence of survivors; used in earthquakes, collapses, building collapses under the debris rescue.

### Technical parameters

- 1.Radar module: frequency range 400MHz
- 2.Role of distance: movement target>35m, stationary target>25m
- 3.Localization accuracy: Shi10cm
- 4Detection Angle: 120 °
- 5.Accuracy:>95%
- 6Working Time:>12h
- 7.Thermal Imaging Module:Can switch the thermal imaging and video image display effect by one key,Probe with 6pcs of bright LED lighting,lighting distance >6m,Probe with speaker and microphone,two-way intercom
- 8.Audio/Video Module:Probe with 8pcs of infrared light,automatic light sensitivity,night vision distance >5m,two-way intercom,Probe size:<34mm9.Probe size:>3.0cm2. 34mm
- 9.Probe length: closed length S0.7m, 17m when stretching
- 10.Wireless communication distance: open environment>120m



## Wireless Laser Displacement Monitor

No.: YJWZ-120

### Scope of use

Detect the slightest movement of unstable structures to alert rescuers of collapses that can occur

### Technical parameters

- 1.distance range outdoor up to 80 meters
- 2.indoor up to 200 meters: measurement accuracy: 1mm
- 3 wireless transmission distance greater than 100 meters
- 4.alarm value support fixed alarm value and set the alarm value arbitrarily in two ways
- 5.7 fixed alarm valve: 2, 5, 10, 20, 40, 70, 100mm
- 6.Arbitrary setting of the alarm valve: the instrument with plus and minus buttons, you can set the alarm value between 1 and 200mm arbitrarily



## Body Finder

No.: YJWZ-119

### Scope of use

human body searching for victims in various accident scenes, can search for survivors and corpses.



# EMERGENCY RELIEF

## Audio Life Detector

No.: YJWZ-121

### Scope of use

search for surviving targets and confirm the existence of survivors at the disaster site; used in earthquakes, collapses, building collapses under the debris rescue.

### Technical parameters

1. amplification amplitude: >60,000 (ultra-low white noise)
2. audio probe: 70Hz ~ 4000Hz/250Hz ~ 2000Hz/250Hz ~ 1000Hz
3. omni-directional audio sensors: 200Hz ~ 800Hz/100Hz ~ 500Hz/70Hz ~ 250Hz
4. display: automatic liquid crystal display
5. battery control :Microprocessor control
6. Power supply:72V
7. Operating time: about 12 hours (normal conditions)
8. operating temperature: -15C~+55C
9. memory temperature: -25~C~+65C
10. dimensions (LxWxH): 137x85x125mm
11. weight: 1.05kg



## DKL Life Detector

No.:YJWZ-122

### Scope of use

all kinds of accident scene victims of human body search, can search for survivors and corpses.

### Technical parameters

- 1.screen: 4.5-inch true color LCD
- 2.video resolution: 1280 \* 720, 1920 \* 1080
- 3.photo resolution: 1920\* 1080
- 4.Diameter:7.6mm
- 5.Hose length:3 meters
- 6.Resolution:1 million pixels
7. Viewing Angle:70 °
8. Selling range:30mm-60mm
9. Operating temperature:32°to113 °F(0°to45°
10. Power supply: 2600MA battery(built-in)
11. Battery life:4-5 hours



## Early Warning Collapsometer

No.: YJWZ-123

### Scope of use

The alarm is issued at the first time when the object moves, thus reminding the rescuers to evacuate to the safe area as soon as possible, which effectively protects the personal safety of the rescuers.

### Technical parameters

1. Laser displacement monitoring body comes with a 4-inch display, with a laser point focusing function, and can be displayed through the image of the spotlight body, the screen can be zoomed in and out, magnification> 36 times
2. Laser detection accuracy: <1mm, tilt detection accuracy: less than or equal to 1 degree
3. Setting the object movement range can be set gear: 1-200M, more than the set range of movement, that will trigger the sound and light alarm
4. Inclination alarm display: 0.96-inch OLED display, which can display the size of the alarm value, the current position of the object being monitored, with a low-voltage indicator light
5. Alarm brightness: >960 lumens
6. Alarm volume: >100db laser, inclination sensor and alarm for wireless transmission
7. Transmission distance>200 meters





# EMERGENCY RELIEF



## laser distance meter

No.: YJWZ-124

### Scope of use

Applicable to safe places, law enforcement inspections, power and telecommunications sector measurement, building construction survey design, utility pole spacing measurement of fire systems, outdoor survey design, mapping and so on.

### Technical parameters

- |   |                                     |
|---|-------------------------------------|
| 1.range: 5-500 meters                     | 7.Sight adjustment: $\pm 5$ degrees |
| 2.Measurement accuracy: $\pm 1$ m (yards) | 8.Display: built-in LCD             |
| 3.Objective lens diameter: 28mm           | 9.Battery type: CR2x1 (Dc 3v)       |
| 4.Observation magnification: 7X           | 10.Size: 128X48X82mm                |
| 5.Field of view: 6°                       | 11.Weight: 260g                     |
| 6.Pupil diameter: 3.7mm                   |                                     |



## Infrared thermal imager

No.: YJWZ-125

### Scope of use

suitable for temperature measurement and disaster accident investigation and forensics, overhaul of production safety, electromechanical equipment operation status, top and bottom plate support and geological features, vital signs detection, etc.

### Technical parameters

- |   |  |
|---|--|
| 1.temperature range: $-20 \sim 400^{\circ}\text{C}$     | 7.distance coefficient ratio: 50:1                                     |
| 2.basic accuracy: earth 1%                              | 8 color palette: rainbow / Iron Red / Cold / Self-heating / black heat |
| 3.display resolution: 0.1c                              | 9.power: built-in 18650 rechargeable battery                           |
| 4.display: 3.2-inch full-view angle TFT display visible | 10.working time: >5 hours  |
| 5.image pixels: not less than 300,000                   | 11.storage: built-in 4GB SD card                                       |
| 6 emissivity: 0.1 ~ 1.0 adjustable                      |  |

## Wireless Composite Gas Detector

No.: YJWZ-126

### Scope of use

Widely used in mines, tunnels, pits, underground pipeline safety monitoring; environmental protection, fire department emergency rescue monitoring; hazardous chemical substances detection.

### Technical parameters

- |   |  |
|---|--|
| 1.shell material: aluminum alloy metal body shell   | 4.working voltage: DC12                              |
| 2.air intake: pump suction  | 5.working current: 360mA, peak 520mA                 |
| 3.protection level: IP55, waterproof and dustproof  | 6.working temperature: $-10 \sim 50^{\circ}\text{C}$ |
| 7.storage temperature: $-20 \sim 60^{\circ}\text{C}$  |  |
| 8 measurement object: $\text{CO}$ $\text{CO}_2$ $\text{VOC}$ $\text{H}_2\text{S}$ EX (combustible) temperature, humidity, temperature, humidity and temperature. Gas) temperature, humidity |  |
| 9.Built-in power supply: 7000mAh polymer battery  |  |
| 10.Working time: 48h (non-alarm state)  | 11.Detector life: 2 years                            |
| 12.Waterproof and dustproof grade: IP55   |  |
| 13.Overall dimensions: 220mm x230mmx100mm   |  |





# EMERGENCY RELIEF



## Hydraulic Shear

No.: YJWZ-132

### Scope of use

applied to the rescue of accidents in dangerous places, earthquake disaster and building collapse rescue, air and sea disaster rescue

### Technical parameters

1. Scissors end opening distance: 220mm
2. Rated working pressure: 63Mpa
3. Maximum shearing capacity (Q235 material): 28 mm (steel plate)
4. No-load opening time (motorized pump oil supply): 25s
5. No-load closing time (motorized pump oil supply): 30s
6. Quality (working condition): 13kg
7. Size: 700x210x165mm



## Electric Cutting and Expanding Pliers

No.: YJWZ-133

### Scope of use

applicable to rescue and relief, emergency rescue, etc.

### Technical parameters

1. normal shear diameter Q235 round steel  $\geq 16\text{mm}$ , Q235 plate  $\geq 1\text{mm}$ , the maximum shear diameter Q235 round steel  $> 20\text{mm}$ , Q235 plate  $\geq 3\text{mm}$
2. maximum cutting opening: 30mm
3. Maximum expansion force: 27kN
4. Power supply: Poly battery 24VDC30Ah
5. Dimensions (LxWxH): Open state: 730x145x333mm  
Closed state: 740x180x333mm



## Two-stroke gasoline crushing pick

No.: YJWZ-134

### Scope of use

Concrete crushing, rock crushing, brick wall breaking, fire emergency breaking, railroad sleeper tamping, railroad maintenance works, crushing works for road construction, highway construction, electric power, telecommunication, cable, ditch and other industry crushing projects, suitable for railroad maintenance, rail tamping, fire emergency breaking, reinforced concrete pavement crushing, mine crushing, bridge crushing.

### Technical parameters

1. Single impact energy: 55 joules (mkp)
2. Hammering times: 1300mp / min
3. Weight: 23.8 kg
4. length, width and height: 777 \* 492 \* 346 mm
5. Engine Manufacturer: Wick Northen
6. Engine Model: WM80
7. cylinder working volume: 80 cubic centimeters
8. Working power: 1.6 (2.18) kW (metric horsepower)
9. Gasoline oil mix: 50:1/100:1
10. Fuel tank volume: 1.8 liters
11. Fuel consumption: 0.9 liters / hour



## Handheld rebar speed breakers

No.: YJWZ-135

### Scope of use

Portable rechargeable, with its own battery hydraulic mercury, simple and easy to use, can quickly and efficiently shear rebar, steel pipe, housing security windows, etc.. Used for firefighting disaster relief, emergency rescue, industrial control operations, earthquake relief and rescue in complex terrain, also suitable for electric power, telecommunications, civil construction demolition, coal mining and other workshop use.

### Technical parameters

1. Voltage: 18V
2. No load power: 140W
3. Hydraulic output force: 15t
4. Poly battery: DC18V, 3.6Ah
5. Maximum cutting force: 166.6KN
6. Maximum stroke: 19mm
7. Maximum cut-off diameter: steel bar 16mm
8. Flat bar (max): 19\*20mm
9. Minimum cut-off diameter: 4mm in
10. One time charging cut-off Number of times: about 150 times
11. Charging time: 90 minutes
12. Net weight: 6.5kg

# EMERGENCY RELIEF



## Hydraulic motorized pumps

No.: YJWZ-136

### Scope of use

traffic accident rescue earthquake and other disaster rescue accident rescue, complex terrain or difficult to enter the area of rescue.

### Technical parameters

1. Rated output pressure (high pressure pressure): 63 Mpa
2. Rated flow / speed: 0.6 L / min / 3000r / min
3. Low pressure output pressure (conversion pressure): >10Mpa
4. Low pressure output flow / speed: 2L / min / 3000r / min
5. Quality (working condition, without fuel pipe): <30
6. Dimensions: LxWxH. 390x340x460mm



## Hydraulic hand pump

No.: YJWZ-137

### Scope of use

traffic accident rescue earthquake and other disaster rescue accident rescue complex terrain or difficult to enter the area of rescue.

### Technical parameters

1. rated output pressure: 63MPa
2. rated output flow: > 1.5ml / times
- 3 low-pressure output pressure: 5-10MPa
4. low-pressure theoretical flow: > 12ml / times
5. hydraulic oil tank capacity: > 2.0L
6. the maximum handle force: <350N
7. quality: <10kg
8. dimensions: 715\*180\*170mm



## Two-stroke gasoline crushing pick

No.: YJWZ-138

### Scope of use

Suitable for rescue and relief, emergency rescue and so on.

### Technical parameters

- 1 technical parameters single impact energy: 55 joules (mkp)
- 2 hammering times: 1300mp / min
3. Weight: 23.8 kg
- 4 length, width and height: 777\*492\*346
5. Cylinder working volume: 80 cubic centimeters
6. Working power: 1.6 (2.18) kilowatts (metric horsepower)
- 7 gasoline oil mix: 50:1/100:1 fuel tank volume: 1.8
8. Liter Fuel Consumption: 0.9L/hour



## Pneumatic rock drill

No.: YJWZ-139

### Scope of use

Apply to firefighting, earthquake, armed police, public security and other rescue operations.

### Technical parameters

1. Main machine size: 702mm\*190mm\*57mm
2. Main machine weight (without chisel head): 51g
3. Air pressure: 2.8-17.2Bar
4. Air consumption: 154L/min
5. Impact frequency (approx.): 400/min
6. Power output: 17.2bars: 13.5m/ kg 7.2bars: 3.7m/ kg
7. Complete set weight: 20.9m/ kg 7. Weight of the whole set: 20.9kg
8. Size of the whole set: 940\*457\*177



## Hand Risers

No.: YJWZ-140

### Scope of use

applicable to all places of fire breaking and rescue: when an earthquake, fire, traffic accidents and other natural disasters or accidents, rescue personnel can use the tool to open the steel barriers and other metal structures, rescue people or things in dangerous environments, so that the rescue department to achieve the purpose of rapid rescue and relief.

### Technical parameters

1. tonnage: 8 tons
2. stroke: 90mm
3. body height: 215mm
4. claw height: 3mm
5. weight: 4kg
6. body is made of aviation aluminum material, light weight and High hardness

# EMERGENCY RELIEF

## Mobile vehicle-mounted emergency equipment



**No.: YJWZ-141**

**Scope of use**

Suitable for emergency rescue and relief.

**Technical parameters**

1. Single equipment water production capacity > 60L/h
2. Should be suitable for all surface water, groundwater and other IV class Water above
3. In order to facilitate transportation, the equipment adopts the integrated design volume limited to 0.5 cubic meters, the weight of the equipment Lan60KG
4. Water extraction distance > 3m
5. The power supply of the equipment needs to support the car battery and civilian AC power (optional solar cells) and other power supply options
6. The equipment does not replace the consumables in the case of continuous trouble-free production of clean water total > 5000L



## jack (for lifting weight)

**No.: YJWZ-142**

**Scope of use**

Applicable to rescue and relief, emergency rescue and so on.

**Technical parameters**

1. type: hydraulic jacks
2. Lifting capacity: 3(T)
3. Minimum height: 135(mm) 4. Maximum height: 380(mm)
- 5 net weight: 13.6 (kg)
- 6 structure features: hydraulic jacks
7. External dimension: 531X225X135(mm)



## Vehicle-mounted removable emergency water purifier

**No.: YJWZ-143**

**Scope of use**

Suitable for emergency rescue and relief.

**Technical parameters**

1. Single device water production capacity > 60L / h
2. Should be suitable for all surface water, groundwater, etc. V water or more
3. In order to facilitate the transportation, the equipment adopts the integrated design volume limited to 0.4 cubic meters, the weight of the equipment Lan 35KG
4. Water extraction distance > 3m

# EMERGENCY RELIEF

## High-rise Reciprocating Escape Retarder

No.: YJWZ-144

### Scope of use

The escape jogger is suitable for all kinds of building rescue, fire rescue and high-altitude operation. Such as: offices, office buildings, teaching buildings, commercial buildings, banks, medical buildings, hotels, dormitories, entertainment venues, high-rise apartments and residential housing.

### Technical parameters

1. The host adopts all-metal gear growth structure, the use of centrifugal force principle of small manufacturing, the core host of large-scale lifting machinery technology
2. The wire rope adopts pure bare steel core aviation wire rope, a perfect solution to the ordinary wire rope is easy to roll, the deficiencies of the lowering of the spinning, and more to avoid the ordinary safety rope is afraid of the drawbacks of the fire
3. The wire rope ring connection, the use of lifting and lifting appliances pressed into the special aluminum sleeve, the main force part The breaking tension of the main part of the force to reach more than 1000 kg
4. The safety belt is made of high quality polyester, using lifting and slinging bag preparation equipment and technology to reach more than 1000 kg of tension
5. Rope length: 30m



## Shelf for goods

No.: YJWZ-145

53CUANGDONG LAIKE

### Scope of use

Suitable for rescue and relief, emergency rescue, etc.

### Technical parameters

- 1.3 layers of roof, shelf length 2.4 meters, width 0.8 meters, height 2 meters, three-layer board can be divided into three layers to place the goods
- 2 (need to have the top cover) material requirements columns, beams, laminates, diagonal rods and other components of high-quality steel manufacturing
3. Appearance color requirements columns and tilt rod: dark blue; beams: orange; laminate: milky white
4. Load requirement: the load capacity of each shelf is more than 300Ka.
5. Environmental requirements paint or other finishes must be environmentally friendly materials, no odor







Visit Factory

360° VR panoramas we provide

---

<http://www.yrftextile.com>

Email: [info@yrftextile.com](mailto:info@yrftextile.com)

Whatsapp: +8613702995607