

FOSHAN YIROUFANG TEXTILE MANUFACTURE CO.,LTD
6F A,NO. 19 SHA FU ROAD, XIN HUA XI VILLAGE, LONG JIANG TOWN, SHUNDE DISTRICT, FOSHAN CITY, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description : BLANKET

Buyer : /

SKU No : /

SGS Internal Ref.No. : NBHL2311022302OT

Brand : /

Sample Color : (A)DARK GREEN

Composition : /

End Use : /

Fabric Width : /

Yarn Size : /

Construction : /

Fabric Weight : /

Ref. No. : /

Style No. : /

Lot No./Batch Code : /

Order No. : /

Article No. : /

Season : /

Item No. : /

Model No. : /

P.O. No. : /

Lot No. : /

Department : /

Category : /

L/C NO. : /

Manufacturer : /

Collection : /

Size Range : /

Age range : /

Agent : /

Supplier : /

Product Type : /

Production Stage : /

Style Name : /

Country of Origin : -

Country of Destination : -

Retest : No

Previous No. : /



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Services Co., Ltd
Ningbo Branch

Lingyun Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040
中国·浙江·宁波高新区凌云路1177号

t (86-574)87767006 www.sgsgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Test Report

SL72307345156101TX

Date: December 07, 2023 Page 2 of 6

Garment Fit :
 Pigment Dye :
 FPU No. : /
 Other Info. : /
 Fabric : /
 GPU No. : /
 Claimed Type/Level : /

Proposed Care Instruction :



Sample Receiving Date : Nov 28, 2023 & Dec 06, 2023
 Testing Period : Dec 06, 2023 - Dec 07, 2023
 Test Result(s) : Unless otherwise stated the results shown in this test report refer only to the sample(s) tested, for further details, please refer to the following page(s).
 Test Performed : Selected test(s) as requested by applicant

Signed for and on behalf of
 SGS-CSTC Standards Technical Services Co., Ltd. Ningbo Branch

Rita Chen

Rita Chen (Account Executive)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Ningbo Branch

Lingyun Park, No. 1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040
 中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574) 87767006 www.sgsgroup.com.cn
 t (86-574) 87767006 sgs.china@sgs.com

Test Result

Appearance After Washing

(SGS In-House Method; SL-TM-DIM-001; Washing procedure same as shrinkage.)

A			Requirement
After 3 washes			Satisfactory
Observation on washed sample			
1. Colour change	:	Grade 4.0 on binding Grade 4.5 on body	
2. Pilling and Fuzzing	:	Negligible pilling/ fuzzing on binding Slightly pilling/ fuzzing on face and back	
3. Seam	:	Negligible change	

General appearance of washed sample is satisfactory.

Remarks: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.

Dimensional Measurement

(BS EN ISO 3759:2011, Clause 8)

	Unit	A	Requirement
Overall Length	cm	230.0	-
Overall Width	cm	159.0	-

Colour Fastness To Hot Pressing

(ISO 105-X11:1994; Press with Scorch Tester at 150°C for 15 seconds)

A(body+binding)	Unit	Immediately observation	Observation after Conditioning	Requirement
<u>Dry Pressing</u>				
Change in Shade	Grade	4-5	4-5	-
<u>Damp Pressing</u>				
Change in Shade	Grade	4-5	4-5	-
Staining On Cotton	Grade		4-5	-
<u>Wet Pressing</u>				
Change in Shade	Grade	4-5	4-5	-
Staining On Cotton	Grade		4-5	-

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Ningbo Branch

Lingyun Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgsgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Colour Fastness To Rubbing

(ISO 105-X12:2016; Size of rubbing finger: 19 x 25.4mm)

As Received

-	Unit	A-body	Requirement
Dry Staining	Grade	4-5	-
Wet Staining	Grade	4-5	-

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.

(A)binding: Size of rubbing finger: 16mm dia

Colour Fastness To Rubbing

(ISO 105-X12:2016; Size of rubbing finger: 16mm dia.)

As Received

-	Unit	A-binding	Requirement
Dry Staining	Grade	4-5	-
Wet Staining	Grade	3-4	-

Colour Fastness To Washing

(ISO 105-C06:2010; Test No.: A2S, Machine wash at 40°C with 4g/L ECE (B) and 1g/L Sodium Perborate with 10 Steel Balls, Liquor volume: 150ml, Time: 30 min)

-	Unit	A-body+binding	Requirement
Change in Shade	Grade	4-5	-
Staining On Multi-fibre Stripe			-
Acetate	Grade	4-5	-
Cotton	Grade	4-5	-
Polyamide	Grade	4-5	-
Polyester	Grade	4-5	-
Acrylic	Grade	4-5	-
Wool	Grade	4-5	-

Remark: Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is worst and 5 is best.

Fabric Weight Per Unit Area

(ISO 3801:1977, Method 5)

As Received

-	Unit	A-body	Requirement
Weight	g/m ²	295	-



SGS-CTI Standards Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Lingyun Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgsgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com

Pilling Resistance

(ISO 12945-1:2000; Testing in ICI Pilling Tester.)

10800 Revolutions (3 Hours)

As Received

	Unit	A-body	Requirement
Pilling Rating	-	2-3	-

Remarks: Pilling Rating

5 No change

4 Slight surface fuzzing and/or partially formed pills

3 Moderate surface fuzzing and/or moderate pilling. Pills of varying size and density partially covering the specimen surface.

2 Distinct surface fuzzing and/or distinct pilling. Pills of varying size and density covering a large proportion of the specimen surface.

1 Dense surface fuzzing and/or severe pilling. Pills of varying size and density covering the whole of the specimen surface.

Fibre Content

(ISO/TR 11827:2012 & ISO 1833-1:2020 & ISO 1833-6:2018 & based on moisture regain weight & Dye stripping)

	(A)	<u>Requirement</u>
<u>Body</u>		
Polyester (%)	100	-
<u>Binding</u>		
Cotton (%)	68.0	-
Viscose (%)	32.0	-
Trace amount of polyester		

Remarks:

Note:

- Based on Annex IX to Regulation (EU) No 1007/2011, Moisture regain of Cotton: 8.50%, Viscose: 13.00%



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Standards Technical Services Co., Ltd.
Ningbo Branch

Lingyun Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040
中国·浙江·宁波高新区凌云路1177号

t (86-574) 87767006 www.sgsgroup.com.cn
t (86-574) 87767006 sgs.china@sgs.com

Sample Photo



The statement of conformity in this test report is only based on measured values by the laboratory and does not take their uncertainties into consideration.

End of Report

Scan to see the report



SL72307345156101TX

Verification:
check.sgsonline.com.cn



SGS-CTI Standards Technical Services Co., Ltd.
Ningbo Branch

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Lingyun Park, No.1177 Lingyun Road, Ningbo National Hi-Tech Zone, Ningbo, China 315040
中国·浙江·宁波高新区凌云路1177号 邮编: 315040

t (86-574)87767006 www.sgsgroup.com.cn
t (86-574)87767006 sgs.china@sgs.com