

# FIRE RESCUE TENT

---

## PRODUCT CONFIGURATION

---

- Size: width 10m \* length 20m \* height 5.2m.
- Floor space: 200m<sup>2</sup>
- Outer tarpaulin: PVC thick rain-proof cloth coated on one side.
- Inner tarpaulin: special inner village cloth for inflatable tents
- Air column frame: double-sided coating and PVC mesh are densely covered with air.
- Base cloth: PVC knife scraping cloth coated on both sides
- Dismantling time: 10min/6 persons.



## PRODUCT ACCESSORIES

---

- ① Charging and discharging integrated electric pump
- ② Wind-resistant rope
- ③ Ground pile
- ④ Repair materials
- ⑤ Hand hammer

## USE ON-SITE CASE DEMONSTRATION



## PRODUCT CONFIGURATION

---

- Size: 5 meters wide \* 8 meters long \* 3.5 meters high
- Floor space: 40ml
- Outer tarpaulin: PVC thick rain-proof cloth coated on one side.
- Inner tarpaulin: special inner village cloth for inflatable tents
- Air column frame: double-sided coated PVC sandwich net with dense air.
- Base cloth: PVC knife scraping cloth coated on both sides
- Applicable number: 16 people
- Disassembly time: 10min/2 persons.
- Product use: suitable for fire emergency zipper accommodation.



## PRODUCT ACCESSORIES

---

- ① Charging and discharging integrated electric pump
- ② Wind-resistant rope
- ③ Ground pile
- ④ Park repairing materials
- ⑤ Hand hammer

## PRODUCT USE

---

Suitable for fire emergency

# INFLATABLE TENT FOR FIRE AND RESCUE EARS

## PRODUCT CONFIGURATION

---

- Size:W3m "L5m\*H2.6m
- Area:15m<sup>2</sup>
- Outer tarp: single side coated PVC thickened rainproof cloth
- Inner tarpaulin: inflatable tent special inner village cloth
- Air column frame: double-sided coated PVC mesh airtight fabric
- Base fabric: double-sided coated PVC knife scraping fabric
- Dismantling time:5min/2person

## PRODUCT ACCESSORIES

---

- ① Charge and discharge integrated electric pump
- ② Wind-resistant rope    ③ Ground stakes
- ④ Repair material        ⑤ Hand hammer

## PRODUCT ACCESSORIES

---

Suitable for use in the command lounge of a fire emergency pull-out



# YRF



## FIRE FIGHTING INFLATABLE TENT PRODUCT CONFIGURATION

---

- width 7.2m \* length 10m \* height 4.2m.
- Floor space: 72m<sup>2</sup>
- Outer tarpaulin: PVC thick rain-proof cloth coated on one side.
- Inner tarpaulin: special inner lining cloth for inflatable tents
- Air column frame: double-sided coated PVC sandwich net with dense air.
- Base cloth: PVC knife scraping cloth coated on both sides
- Dismantling time: 15min/2 persons.

## PRODUCT ACCESSORIES

---

- |   |               |
|---|---------------|
| ① Charging and discharging integrated electric pump | ③ Ground pile |
| ② Wind-resistant rope                               | ⑤ Hand hammer |
| ④ Repair materials                                  |               |

## PRODUCT USE

---

Suitable for fire emergency





## FIRE FIGHTING OFFICE INFLATABLE TENT

### PRODUCT CONFIGURATION

---

- width 6 meters \* length 10 meters \* height 3.8 meters
- Floor space: 60m<sup>2</sup>
- Outer tarpaulin: PVC thick rain-proof cloth coated on one side.
- Inner tarpaulin: special inner lining cloth for inflatable tents
- Air column frame: double-sided coated PVC sandwich net with dense air.
- Base cloth: PVC knife scraping cloth coated on both sides
- Dismantling time: 15min/2 persons.

### PRODUCT ACCESSORIES

---

- ① Charging and discharging integrated electric pump
- ② Wind-resistant rope
- ③ Ground pile
- ④ Park repairing materials
- ⑤ Hand hammer

### PRODUCT USE

---

suitable for fire emergency.

# DISINFECT PUBLIC INFLATABLE TENTS

## PRODUCT CONFIGURATION

---

- width 5 meters \* length 6 meters \* height 3.5 meters
- Floor space: 30m<sup>2</sup>
- One side of the outer tarpaulin is coated with pvc thick rain cloth.
- Inner tarpaulin: special inner lining cloth for inflatable tents
- Air column frame: double-sided coated pvc sandwich net with dense air.
- Base cloth: pvc knife scraping cloth coated on both sides
- Dismantling time: 15min/2 persons.

## PRODUCT ACCESSORIES

---

- ① Electric pump with integrated charging and discharging
- ② Wind-resistant rope
- ③ Piles
- ④ Repairing materials
- ⑤ Hammer
- ⑥ Washing water supply and drainage system.

## PRODUCT USE

---

Suitable for fire emergency multi-person decontamination.

YRF



# DECONTAMINATION OF SINGLE INFLATABLE TENT

## PRODUCT CONFIGURATION

---

- width 2.2m \* length 2.2m \* height 2.5m.
- Floor space: 4.84 m.
- Tent cloth: PVC thick rain-proof cloth coated on one side
- Air column frame: double-sided coated pvc sandwich net with dense air.
- Base cloth: PVC knife scraping cloth coated on both sides
- Disassembly time: 3min/person.

## PRODUCT ACCESSORIES

---

- ① Charge and discharge integrated electric pump
- ② Wind rope    ③ Ground pile    ④ Repair material
- ⑤ Hand hammer    ⑥ Wash water supply and drainage system.

## PRODUCT ACCESSORIES

---

Suitable for single-person decontamination of fire emergency.





# YRF



## FIREFIGHTING HIGH-PRESSURE INFLATABLE TENT

### PRODUCT CONFIGURATION

---

- Width 6m\*Length 6m\*Height 3m
- Floor space: 36m<sup>2</sup>
- Outer tarp: double-sided coated PVC rainproof sandwich mesh
- Inner tarp: special lining fabric for inflatable tent lotus
- Air column frame: high-pressure special air column material
- Bottom fabric: double-sided coated PVC mesh
- Disassembly time: 15min/4 persons

### PRODUCT ACCESSORIES

---

- |  |                 |
|--|-----------------|
| ① high pressure electric inflatable pump | ③ Ground stakes |
| ② Wind-resistant rope                    | ⑤ Hand hammer   |
| ④ Repair materials                       |                 |

### PRODUCT USE

---

Suitable for fire emergency

# FIREFIGHTING SINGLE INFLATABLE TENT

## PRODUCT CONFIGURATION

---

- Width 2.2m\*Length 2.2m\*Height 1.6m
- Floor space: 4.84m<sup>2</sup>
- Canopy: single-sided coated PVC plus the original rainproof cloth
- Air column frame: double-sided coated PVC mesh airtight fabric
- Bottom cloth: double-sided coated PVC PE cloth
- Disassembly time: 1min/1person

## PRODUCT ACCESSORIES

---

- |                       |                       |
|-----------------------|-----------------------|
| ① Manual pumping Jane | ② Wind-resistant rope |
| ③ Ground stakes       | ④ Repair material     |

## PRODUCT USE

---

Suitable for fire emergency



# FIRE COMMAND FRAME TENT

YRF

## PRODUCT CONFIGURATION

---

- Width 5.6m\*Length 6m\*Height 2.72m
- Floor space: 33.6m<sup>2</sup>
- Outer lotus cloth: single-sided coated PVC thickened rainproof cloth
- Inner ceiling: silver-coated heat-insulating lining cloth
- Frame: 0235;straight seam welded steel pipe  $\phi 38 \times 1.25\text{m}$
- Bottom cloth: double-sided coated PVC rubber fabric
- Disassembly time: 30min/4 persons

## PRODUCT ACCESSORIES

---

- |                       |                 |
|-----------------------|-----------------|
| ① Wind-resistant rope | ② Ground stakes |
| ③ Repair materials    | ④ Hand hammer   |

## PRODUCT USE

---

Suitable for fire emergency



# FIREFIGHTING ACCOMMODATION FRAME TENT

## PRODUCT CONFIGURATION

---

- Width 5m\*Length 6m\*Height 3.1m
- Floor space: 30m<sup>2</sup>
- Outer canopy: single-sided coated PVC thickened rainproof cloth
- Cotton lining: white single-sided quilted needle-punch felt
- Frame: Q235; galvanized steel pipe  $\phi 32 \times 1.2\text{MM}$
- Bottom cloth: double-sided coated PVC rubber fabric
- Disassembly time: 30min/6 people



## PRODUCT ACCESSORIES

---

- |                       |                 |
|-----------------------|-----------------|
| ① Wind-resistant rope | ② Ground stakes |
| ③ Repair materials    | ④ Hand hammer   |

## PRODUCT ACCESSORIES

---

Suitable for single-person decontamination of fire emergency.

# YRF



## FIRE EMERGENCY RESCUE MODULE PRODUCT CONFIGURATION

---

- Width 23m\*20m\*7.5m
- Floor space:460m<sup>2</sup>
- Outer tarp: single-sided coated pvc thickened rainproof cloth
- Inner tarp: inflatable tent special lining cloth
- Air column pivot frame: double-sided coated pvc mesh airtight fabric
- Bottom cloth: double-sided coated pvc knife scraping cloth
- Disassembly time: 30min/6 people

## PRODUCT ACCESSORIES

---

- |   |                 |
|---|-----------------|
| ① Charge and discharge integrated electric pump | ③ Ground stakes |
| ② Wind-resistant rope                           | ⑤ Hand hammer   |
| ④ Repair material                               |                 |

## PRODUCT USE

---

Applicable to fire emergency pulling command





## SELF-PORTABLE TENT FOR FIREFIGHTERS

### PRODUCT CONFIGURATION

---

- Width 2m\*Length 2m\*Height 1.4m
- Floor space: 4m<sup>2</sup>
- Lotus cloth: single-sided coated pvc rainproof oxford cloth
- Skeleton: high-strength fiberglass
- Disassembly time: 3s / 1 person

### PRODUCT ACCESSORIES

---

- ① wind-resistant rope
- ② ground stakes

### PRODUCT USE

---

Suitable for fire emergency

# FIRE AND EMERGENCY RESCUE MODULE

## Product features:

The tent is in the form of double-sloped upright wall.  
The frame is plug-in structure, with floor crossbar  
Can effectively resist wind and snow load under safe use.  
Unfolding, withdrawing, transportation is  
convenient and quick, cycle erection and  
Long service life.

## EMERGENCY RELIEF 12M2 SINGLE TENT PRODUCT CONFIGURATION

- Width 3.2m\*Length 3.7m\*Height 2.67m
- Floor space:12m<sup>2</sup>
- Canopy fabric: 333dtexx333dtex single-sided pvc coated fabric
- Awning pole: Q235; straight seam welded white painted steel pipe;
- Medium 19mm\*1.0mm  
Frame:Q235;straight seam welded white sprayed steel pipe;
- $\phi 25\text{mm} \times 1.0\text{mm}$ ;  $\phi 28\text{mm} \times 1.0\text{mm}$
- Disassembly time:15min/6person

## PRODUCT ACCESSORIES

- ① Main configuration
- ② Canopy body
- ③ Frame Accessories (including triangle stakes, pull rope)

## PRODUCT USE

Applicable to the use of the affected people  
Can simultaneously accommodate about  
5 people temporary accommodation use



## PRODUCT SHOW



8m<sup>3</sup> disaster relief single tent  
2.6\*3\*1.5\*2.27(M)



12m<sup>3</sup> single tent for disaster relief  
3.2\*3.7\*1.75\*2.67(M)



20m<sup>3</sup> single tent for disaster relief  
3.63\*5.6\*1.7\*2.51(M)



36m<sup>3</sup> single tent for disaster relief  
4.73\*7.83\*1.75\*3.12(M)



60m<sup>3</sup> disaster relief single tent  
6\*10\*2\*3.39(M)



Special folding bed for disaster relief  
W70\*L185\*H35(CM)

# FIRE AND EMERGENCY RESCUE MODULE

## Product features:

unfolding, skimming and transportation is convenient and quick to lift, the Cyclic erection, long service life

## EMERGENCY DISASTER RELIEF 19M INFLATABLE TENT PRODUCT PARAMETERS

- Size:W3.45\*L5.42\*H2.55m
- Area:19m<sup>2</sup>
- Outer tarpaulin: single-sided coated pvc thickened rainproof cloth
- Inner tarp: inflatable tent special lining cloth
- Air column frame: double-sided coated pvc mesh airtight fabric
- Bottom cloth: double-sided coated pvc knife scraping cloth
- Disassembly time: 15min/2person

## MAIN CONFIGURATION

- ① Charge and discharge integrated electric pump
- ② Wind-resistant rope
- ③ Ground stakes
- ④ Repair material
- ⑤ Hand hammer



## PRODUCT USE

applicable to the use of resettlement of the affected people

Can accommodate about 6 people at the same time temporary accommodation use

Product production process: The main structure phase stay vegetable with away from the temperature together with deep sowing process, body cloth using double needle row table, spell into the place another business temperature station together with the water pu rubber strip



## USE CASE SHOW





# FIRE AND EMERGENCY RESCUE MODULE

## Product features:

The tent is in the form of double-slope upright wall.

The frame is plug-in structure, with a floor crossbar.

Can effectively resist wind and snow load under safe use.

Unfolding, withdrawing, transportation is convenient

and quick, cycle erection and

Long service life.

## EMERGENCY RELIEF 12M COTTON TENT PRODUCT CONFIGURATION

- Width 3.2m\*Length 3.7m\*Height 2.67m
- Floor space:12m
- Canopy:666dtex\*666dtex single side pvc coated fabric
- Inner liner:natural white polyester needle-punched quilting felt
- Frame: Q235; straight seam with a small dike and white sprayed steel pipe;
- $\phi 25\text{mm} \times 1.2\text{mm}$ ;  $\phi 28\text{mm} \times 1.0\text{mm}$
- Backing fabric; double-sided coated pvc coated fabric
- Disassembly time:15min/6person
- Product use: suitable for the use of the affected people
- Can simultaneously accommodate about 5 people temporary accommodation use

## MAIN CONFIGURATION

- ① Canopy body
- ② Cotton inner liner
- ③ Frame
- ④ Flooring
- ⑤ Accessories (including triangular pile, hook pile, pull rope)



Appearance style: rectangular double-slope upright wall building style, the other end of the mountain wall corresponding position with chimney mouth, two windows on each side of the wall, the whole  
The tent is fixed by pulling the rope to connect the triangle stakes

# PRODUCT SHOW



8m<sup>3</sup> disaster relief single tent  
2.6\*3\*1.5\*2.27(M)



12m<sup>3</sup> single tent for disaster relief  
3.2\*3.7\*1.75\*2.67(M)



20m<sup>3</sup> single tent for disaster relief  
3.63\*5.6\*1.7\*2.51(M)



36m<sup>3</sup> single tent for disaster relief  
4.73\*7.83\*1.75\*3.12(M)



60m<sup>3</sup> disaster relief single tent  
6\*10\*2\*3.39(M)



Special folding bed for disaster relief  
W70\*L185°H35(CM)

# MEDICAL RESCUE SERIES

Product features:  
unfolding and withdrawing, the  
convenient and quick transportation, the  
Cyclic erection, long service life  
Medical rescue

## MEDICAL CAMPING INFLATABLE TENT PRODUCT CONFIGURATION

- Size: width 5m \* length 8m \* height 3.5m
- Floor space: 40m
- Outer tarpaulin: single-sided coated pvc thickened rainproof cloth
- Inner tarp: inflatable tent special lining cloth
- Air column frame: double-sided coated pvc sandwich mesh airtight fabric
- Bottom fabric: double-sided coated pvc knife scraping fabric
- Applicable number of people: 16 people
- Disassembly time: 10min/2 people
- Product use: Applicable to fire emergency pulling accommodation



## PRODUCT ACCESSORIES

- ① charging and discharging one electric pump
- ② wind-resistant rope
- ③ ground pile
- ④ repair materials
- ⑤ hand hammer

Product production process; the main structure of the framework using high welding process, the tarp using double needle stitching, spell at the other high temperature laminated waterproof pu rubber strip

# USE ON-SITE CASE DEMONSTRATION





# MEDICAL COMMAND INFLATABLE TENT

## PRODUCT CONFIGURATION

---

- Width 6m\*Length 10m\*Height 3.8m
- Floor space: 60m<sup>2</sup>
- Outer cloak: single-sided coated pvc waterproof oxford fabric
- Lining: inflatable tent special Shumei silk
- Bottom fabric: double-sided coated PVC mesh fabric
- Skeleton: inflatable tent special airtight cloth
- Disassembly time: 15min / 3 people

## PRODUCT ACCESSORIES

---

- ① Electric inflatable pump
- ② ground stakes
- ③ pull rope
- ④ Maintenance package
- ⑤ Hand hammer

## PRODUCT USE

---

Suitable for fire prevention emergency pulling command





# MEDICAL COMMAND INFLATABLE TENT

## PRODUCT CONFIGURATION

---

- Width 5m\*Length 6m\*Height 3.2m
- Floor space:30m<sup>2</sup>
- Outer cloak: single-sided coated pvc waterproof oxford cloth
- Lining: inflatable tent special Shu Mei silk
- Bottom cloth: double-sided coated pvc sandwich mesh
- Skeleton: inflatable tent special airtight cloth
- Disassembly time: 15min/2 people

## PRODUCT ACCESSORIES

---

- ① Electric inflatable pump
- ② Ground stake
- ③ Pull rope
- ④ Repair kit
- ⑤ Hand hammer

## PRODUCT ACCESSORIES

---

Suitable for medical emergency teams temporary command, the Office, accommodation and other uses



# YRF



## MEDICAL HIGH-PRESSURE INFLATABLE TENT

### PRODUCT CONFIGURATION

---

- Width 6m\*Length 6m\*Height 3m
- Floor space:36m<sup>2</sup>
- Outer cloak:high performance double-sided coated pvc material
- Inner village: white medical coated silver Oxford cloth
- Bottom cloth: double-sided coated pvc sandwich mesh
- Skeleton: high strength puncture resistant air column material
- Disassembly time: 25min / 4 people

### PRODUCT ACCESSORIES

---

- |                                |               |
|--------------------------------|---------------|
| ① Air pressure inflatable unit |               |
| ② Ground stake                 | ③ Pull rope   |
| ④ Maintenance kit              | ⑤ Hand hammer |

### PRODUCT USE

---

Suitable for medical emergency teams temporary command, office, accommodation and other uses



## MEDICAL CAMPING FRAME TENT

### PRODUCT CONFIGURATION

---

- Width 3m\*Length 4m\*Height 2.6m
- Floor space:12m<sup>2</sup>
- Canopy: single-sided coated pvc oxford cloth
- Applicable number of people:8 people
- Skeleton:0235:linear welded steel pipe:251.0mm;middle 281.0mm
- Disassembly time:15min/4person

### PRODUCT ACCESSORIES

---

- ①Ground stakes      ②Pull rope      ③Maintenance kit

### PRODUCT USE

---

Suitable for medical emergency teams temporary command, office, accommodation and other uses

# MEDICAL SHOWER INFLATABLE TENT

## PRODUCT CONFIGURATION

---

- Width 3m\*Length 5m\*Height 2.6m
- Floor space:15m<sup>2</sup>
- Outer cloak: single-sided coated pvc waterproof oxford cloth
- Lining: inflatable tent special Shumei silk
- Bottom cloth: double-sided coated pvc sandwich mesh
- Skeleton: inflatable tent special airtight cloth
- Disassembly time: 10min/2 people

## PRODUCT ACCESSORIES

---

- ① Electric inflatable pump
- ② Ground stake
- ③ Pull rope
- ④ Repair kit
- ⑤ Hand hammer

## PRODUCT USE

---

Suitable for medical emergency team personnel temporary bathing use

YRF



# MEDICAL STERILIZATION INFLATABLE TENT

## PRODUCT CONFIGURATION

---

- Width 2m\*Length 2.5m\*Height 2.5m
- Floor space:5m<sup>2</sup>
- Outer cloak: double-sided coated pvc sandwich mesh plus transparent material
- Bottom cloth: double-sided coated pvc mesh
- Skeleton: inflatable tent special airtight fabric
- Disassembly time:15min/2person

## PRODUCT ACCESSORIES

---

- ① Electric inflatable pump
- ② Ground stakes
- ③ Pull rope
- ④ Repair kit
- ⑤ Hand hammer
- ⑥ Disinfection equipment

## PRODUCT USE

---

Suitable for use in temporary disinfection channels for epidemic prevention and detection, etc.





# YRF



## MEDICAL COMBINATION INFLATABLE TENT

### PRODUCT CONFIGURATION

---

- Width 4m\*Length 9.5m\*Height 3m
- Floor space:38m<sup>2</sup>
- Outer cloak: single-sided coated pvc waterproof oxford cloth
- Lining: inflatable tent special Shumei silk
- Bottom cloth: double-sided coated pvc sandwich mesh
- Skeleton: inflatable tent special airtight cloth
- Disassembly time: 10min/2 people

### PRODUCT ACCESSORIES

---

- ① Electric inflatable pump
- ② Ground stake
- ③ Pull rope
- ④ Repair kit
- ⑤ Hand hammer

### PRODUCT USE

---

Suitable for medical emergency team pulling exercise base build use

## NEGATIVE PRESSURE INFLATABLE TENT FOR MEDICAL USE

### PRODUCT CONFIGURATION

---

- Width 7m\*Length 10m\*Height 4m
- Floor space:70m<sup>2</sup>
- Outer cloak:double-sided coated pvo sandwich mesh
- Inner village: double-sided coated pvc sandwich mesh
- Bottom fabric: double-sided coated pvo mesh
- Skeleton: inflatable tent special airtight fabric
- Disassembly time: 20min/4 people

### PRODUCT ACCESSORIES

---

- |                              |                   |
|------------------------------|-------------------|
| ①Electric inflatable pump    | ②Ground stake     |
| ③Pull rope                   | ④Repair kit       |
| ⑤Hand hammer                 |                   |
| ⑥Negative pressure equipment | ⑦Fresh Air System |

### PRODUCT USE

---

Applicable to the use of negative pressure temporary isolation of infectious disease patients



## 12m<sup>2</sup>RED CROSS FRAME TENT

### PRODUCT CONFIGURATION

---

- Width 3.2m\*Length 3.7m\*Height 2.66m
- Floor space:12m<sup>2</sup>
- Canopy: single-sided coated pvc oxford cloth
- Applicable number of people: 8 people
- Skeleton: Q235; straight seam welded steel pipe;  $\phi 25 \times 1.0\text{mm}$ ;  $\phi 28 \times 1.0\text{mm}$
- Disassembly time: 15min / 3 people

### PRODUCT ACCESSORIES

---

- ① Ground stakes      ② Pull rope      ③ Maintenance kit

### PRODUCT USE

---

Suitable for temporary placement of disaster victims using

YRF



# MEDICAL NEGATIVE PRESSURE FRAME TENT

## PRODUCT CONFIGURATION

---

- Width 1.5m\*Length 2m\*Height 2.3m
- Floor space:3m<sup>2</sup>
- Tarpaulin: single-sided laminated pvc polyester fabric
- Bottom cloth:single-sided laminated pvc polyester cloth
- Skeleton: pvc grade drainage pipe;  $\phi 32\text{mm}$
- Disassembly time:10min/2person

## PRODUCT ACCESSORIES

---

- |                               |               |
|-------------------------------|---------------|
| ① Ground stakes               | ② Pull rope   |
| ③ Maintenance kit             | ④ Hand hammer |
| ⑤ Negative pressure equipment |               |

## PRODUCT USE

---

Applicable to the use of negative pressure temporary isolation of infectious disease patients





Visit Factory

360° VR panoramas we provide

---

<http://www.yrftextile.com>

Email: [info@yrftextile.com](mailto:info@yrftextile.com)

Whatsapp: +8613702995607